EFOR MADENİ YAĞLARI

eformadeniyag.com.tr

EFOR

PRODUCT CATALOG

2026

LUBRICANTS & GREASES / PRODUCT RANGE 2026

EFOR FACILITY

PHOTOGRAPH TO BE PROVIDED

Reserved image area - approval sample

ENGINE OILS

TRANSMISSION & GEAR

HYDRAULIC

GREASES

INDUSTRIAL

AUTOMOTIVE CARE

COMPANY PROFILE

ABOUT EFOR

EFOR company profile and verified company information will be added here.

Founding date, facilities, production and export information are awaiting confirmation.

PENDING	PENDING	PENDING	PENDING
FOUNDED	YEARS OF EXPERIENCE	EXPORT COUNTRIES	CONTINENTS

EFOR FACILITY

PHOTOGRAPH TO BE PROVIDED

Reserved image area

PRODUCT INDEX

CONTENTS

01 ENGINE OILS 04

FORMULA GFX2 04
FORMULA GFX3 04
FORMULA M 04
FORMULA M A3/B4 04
FORMULA S 05
FORMULA S A3/B4 05
FORMULA S A5/B5 05
FORMULA S ECS 05
FORMULA S ECS C3V 06
FORMULA S ECS C4 06
FORMULA S ECS SPC2 06
FORMULA S ECS SPC3 06
FORMULA S ECS SPC5 07
FORMULA S ECS SPC6 07
FORMULA S ECS SQ 07
DURATECH 07
DURATECH LOW SAPS 08
DURATECH S 08
DURATECH S E11 08
FORMULA SUPER DIESEL 08
TURBO DIESEL 09
TURBO DIESEL ULTIMATE 09
ULTRA HD 09
MOTO 2T 09
MOTO M 4T 10
MOTO RACING 4T 10
MARINE SAE 40 10
OUTBOARD 4T 10

02 TRANSMISSION & GEAR OILS 11

DURAFLUID ATF 11
DURAGEAR EP 11
DURAGEAR EP LS 11
DURAGEAR FULL SYNTHETIC 11
DURAGEAR MT 12
STOU 12
STOU CD 12
UTTO 12
UTTO 50 TO-4 13
UTTO SYNT 13
EFOR TRANS 13
EFOR TRANS HD 13

03 HYDRAULIC OILS 14

HYDRO HLP 14
HYDRO HLP ZF 14
HYDRO HVLP 14
HYDRO HVLP ZF 14
SUPER HYDRO HVLP 15
SUPER HYDRO HVLP ZF 15

04 GREASES 16

LITHOMAX GREASE 16
LITHOMAX GREASE EP 16
LITHOMAX RED GREASE 16
LITHOMAX CWB GREASE MP 16
BLUEMAX GREASE 17
CALIMAX GREASE 17
GRAPHMAX GREASE 17
GREENAX GREASE 17
ROLINAX GREASE 18
COTTONPICKER GREASE 18
COTTONPICKER GREASE LC 18

05 INDUSTRIAL OILS 19

FORM GEAR 19
COMPRESSOR OIL 19
HYPERCOM 19
SUPERCOM 19
DURATHERM ST 20
DURATHERM SYNT 20
SLIDEWAY OIL 20
NOVA 20
BORON CUTTING FLUID 21
COOLSOL BRO 21
CUTTING OIL 21
MOULD RELEASE B 21
MOULD RELEASE ST 22
ARLIGHT 22
TEXOIL 22
TEXOIL 2110 T 22
TEXOIL T 23
JETOIL 23
RING OIL 23
INDUSTRIAL 23
COTTONPICKER CLEANSOL 24

06 AUTOMOTIVE CARE & FLUIDS 25

ANTIFREEZE 25
ANTIFREEZE ORGANIC 25
BRAKE FLUID 25

4 L



PASSENGER VEHICLE ENGINE OILS

EFOR

FORMULA GFX2

Passenger Vehicle Engine Oil

0W-20 **5W-20** **5W-30**

Formulated with 100% high-quality synthetic base oils, this fully synthetic motor oil meets the requirements of the GM dexos1™ Gen 3 specification, helping protect your engine even under demanding driving conditions. It delivers superior lubrication at extreme temperatures, guards against low-speed pre-ignition (LSPI), reduces wear and deposits, and contributes to fuel economy, while its advanced formula preserves...

SPECIFICATIONS

API SP, ILSAC GF-5/GF-6,GM dexos 1 Gen 2

OEM APPROVALS & RECOMMENDATIONS

GM dexos1 Gen 2 · ILSAC GF-6A · Ford WSS-M2C947-A · Chrysler MS-6395

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

---

4 L



PASSENGER VEHICLE ENGINE OILS

EFOR

FORMULA GFX3

Passenger Vehicle Engine Oil

0W-20 **5W-30**

Formulated with 100% high-quality synthetic base oils, this fully synthetic motor oil meets the requirements of the GM dexos1™ Gen 3 specification, helping protect your engine even under demanding driving conditions. It delivers superior lubrication at extreme temperatures, guards against low-speed pre-ignition (LSPI), reduces wear and deposits, and contributes to fuel economy, while its advanced formula preserves...

- Advanced protection against LSPI (Low-Speed Pre-Ignition)
- Excellent wear and deposit control
- Helps improve fuel economy

OEM APPROVALS & RECOMMENDATIONS

GM dexos1 Gen 2 · ILSAC GF-6A · Ford WSS-M2C947-A · Chrysler MS-6395

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

---

4 L



PASSENGER VEHICLE ENGINE OILS

EFOR

FORMULA M

Passenger Vehicle Engine Oil

10W-40 **15W-40** **20W-50** **25W-60**

Formulated with 100% virgin base oils, this motor oil helps protect your engine under everyday driving conditions, delivering stable lubrication at high temperatures while reducing wear and supporting engine cleanliness.

- Superior viscometric properties help easy start-up in all weather
- Prevents and reduces deposit or sludge build-up and keeps the engine clean
- Engine cleanliness facilitates superior lubrication, hence increases engine life

SPECIFICATIONS

API SL-CF

OEM APPROVALS & RECOMMENDATIONS

MB 229.1 · VW 501.01 / 505.00

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

---

4 L



PASSENGER VEHICLE ENGINE OILS

EFOR

FORMULA M A3/B4

Passenger Vehicle Engine Oil

10W-40 **15W-40**

Formulated with 100% virgin base oils, this motor oil helps protect your engine under everyday driving conditions, delivering stable lubrication at high temperatures while reducing wear and supporting engine cleanliness.

SPECIFICATIONS

API SL-CF, ACEA A3/B4

OEM APPROVALS & RECOMMENDATIONS

MB 229.1

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

4 L



PASSENGER VEHICLE ENGINE OILS

EFOR

FORMULA S

Passenger Vehicle Engine Oil

0W-20 **0W-30** **0W-40** **5W-20** **5W-30** **5W-40** **10W-30** **10W-40** **10W-60**

Formulated with 100% high-quality synthetic base oils, this fully synthetic motor oil helps protect your engine even under demanding driving conditions, delivering superior lubrication at extreme temperatures while reducing wear and supporting engine cleanliness.

- Superior viscometry, lower friction effectively contribute to fuel economy
- Outstanding engine cleanliness due to higher thermal stability and dispersion
- Provides excellent lubrication even at very low temperatures

SPECIFICATIONS

0W-20 API SN
0W-30 API SN
0W-40 API SN
5W-20 API SN-CF
5W-30 API SN-CF
5W-40 API SN-CF
10W-40 API SN-CF

OEM APPROVALS & RECOMMENDATIONS

ILSAC GF-5 · API SN MB 229.1 · Renault RN0700 / RN0710 · MB 229.1

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

---

4 L



PASSENGER VEHICLE ENGINE OILS

EFOR

FORMULA S A3/B4

Passenger Vehicle Engine Oil

5W-30 **5W-40** **10W-30** **10W-40**

Formulated with 100% high-quality synthetic base oils, this fully synthetic motor oil helps protect your engine even under demanding driving conditions. Its low-friction technology contributes to fuel economy, delivers superior lubrication at extreme temperatures, and helps reduce wear while supporting engine cleanliness.

SPECIFICATIONS

API SN-CF, ACEA A3/B4

OEM APPROVALS & RECOMMENDATIONS

MB 229.1 / 229.3 · VW 502.00 / 505.00 · Renault RN0700 / RN0710 · PSA B71 2296 · Porsche A40

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

---

4 L



PASSENGER VEHICLE ENGINE OILS

EFOR

FORMULA S A5/B5

Passenger Vehicle Engine Oil

5W-30

Formulated with 100% high-quality synthetic base oils, this fully synthetic motor oil helps protect your engine even under demanding driving conditions. Its low-friction technology contributes to fuel economy, delivers superior lubrication at extreme temperatures, and helps reduce wear while supporting engine cleanliness.

SPECIFICATIONS

API SN-SM-CF, ACEA A5/B5

OEM APPROVALS & RECOMMENDATIONS

Ford WSS-M2C913-D · MB 229.5 / 229.3 · VW 502.00 / 505.00 · Renault RN0700 / RN0710

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

---

4 L



PASSENGER VEHICLE ENGINE OILS

EFOR

FORMULA S ECS

Passenger Vehicle Engine Oil

0W-20 **0W-30** **0W-40** **5W-30** **5W-40**

Formulated with 100% high-quality synthetic base oils, this fully synthetic motor oil helps protect your engine even under demanding driving conditions, delivering superior lubrication at extreme temperatures while reducing wear and supporting engine cleanliness. Its advanced formula is specially designed to preserve the efficiency and service life of emission control systems such as DPF and GPF.

- Superior viscometry, lower friction effectively contribute to fuel economy
- Outstanding engine cleanliness due to higher thermal stability and dispersion
- Provides excellent lubrication even at very low temperatures

SPECIFICATIONS

0W-20 API SN+, ACEA C5
0W-30 API SN, ACEA C2-C3
0W-40 API SN, ACEA C3
5W-30 API SN-CF, ACEA C2-C3
5W-40 API SN-CF, ACEA C3

OEM APPROVALS & RECOMMENDATIONS

MB 229.71 · Ford WSS-M2C948-B · Volvo VCC RBS0-2AE · Opel OV 040 1547 · STJLR.51.5122 · MB 229.31 / 229.51 / 229.52 · BMW Longlife-04 · GM dexos2 · VW 505.00 / 505.01 · PSA B71 2290 · Renault RN0700 / RN0710 · Porsche C30 · Fiat 9.55535-S3 · MB 229.31 / 229.51 · Porsche A40 ·...

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

4 L



PASSENGER VEHICLE ENGINE OILS

EFOR

FORMULA S ECS C3V

Passenger Vehicle Engine Oil

0W-30 **5W-30**

Formulated with 100% high-quality synthetic base oils, this fully synthetic motor oil helps protect your engine even under demanding driving conditions, delivering superior lubrication at extreme temperatures while reducing wear and supporting engine cleanliness. Engineered for modern turbocharged engines, it helps guard against low-speed pre-ignition (LSPI) and timing chain wear, while its advanced...

SPECIFICATIONS

API SP-SN PLUS-SN-CF, ACEA C3, VW 504.00 VW 507.00

OEM APPROVALS & RECOMMENDATIONS

VW 504.00 / 507.00 · MB 229.31 / 229.51 / 229.52 · BMW Longlife-04 · Porsche C30 · Opel OV 040 1547

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

---

4 L



PASSENGER VEHICLE ENGINE OILS

EFOR

FORMULA S ECS C4

Passenger Vehicle Engine Oil

5W-30

Formulated with 100% high-quality synthetic base oils, this fully synthetic motor oil helps protect your engine even under demanding driving conditions, delivering superior lubrication at extreme temperatures while reducing wear and supporting engine cleanliness. Engineered for modern turbocharged engines, it helps guard against low-speed pre-ignition (LSPI) and timing chain wear, while its advanced...

SPECIFICATIONS

ACEA C4, Renault RN720

OEM APPROVALS & RECOMMENDATIONS

Renault RN0720 / RN17 · MB 226.51 · ACEA C4

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

---

4 L



PASSENGER VEHICLE ENGINE OILS

EFOR

FORMULA S ECS SPC2

Passenger Vehicle Engine Oil

0W-30 **5W-30**

Formulated with 100% high-quality synthetic base oils, this fully synthetic motor oil helps protect your engine even under demanding driving conditions, delivering superior lubrication at extreme temperatures while reducing wear and supporting engine cleanliness. Engineered for modern turbocharged engines, it helps guard against low-speed pre-ignition (LSPI) and timing chain wear, while its advanced...

SPECIFICATIONS

API SP, ACEA C2

OEM APPROVALS & RECOMMENDATIONS

PSA B71 2312 / B71 2290 · Renault RN17 · MB 226.51 / 229.51

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

---

4 L



PASSENGER VEHICLE ENGINE OILS

EFOR

FORMULA S ECS SPC3

Passenger Vehicle Engine Oil

5W-30 **5W-40** **10W-40**

Formulated with 100% high-quality synthetic base oils, this fully synthetic motor oil helps protect your engine even under demanding driving conditions, delivering superior lubrication at extreme temperatures while reducing wear and supporting engine cleanliness. Engineered for modern turbocharged engines, it helps guard against low-speed pre-ignition (LSPI) and timing chain wear, while its advanced...

- Excellent protection against wear and engine deposits
- Strong oxidation and thermal stability
- Helps reduce fuel consumption

SPECIFICATIONS

API SP, ACEA C3

OEM APPROVALS & RECOMMENDATIONS

MB 229.31 / 229.51 / 229.52 · BMW Longlife-04 · GM dexos2 · VW 505.00 / 505.01 · Porsche C30 · Opel OV 040 1547 · MB 229.31 / 229.51 · VW 505.01 · Porsche A40 · Ford WSS-M2C917-A · MB 229.31 / 229.51 level

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

4 L



PASSENGER VEHICLE ENGINE OILS

EFOR

FORMULA S ECS SPC5

Passenger Vehicle Engine Oil

5W-30 **5W-40** **10W-40**

Formulated with 100% high-quality synthetic base oils, this fully synthetic motor oil helps protect your engine even under demanding driving conditions, delivering superior lubrication at extreme temperatures while reducing wear and supporting engine cleanliness. Engineered for modern turbocharged engines, it helps guard against low-speed pre-ignition (LSPI) and timing chain wear, while its advanced...

SPECIFICATIONS

API SP, ACEA C5

OEM APPROVALS & RECOMMENDATIONS

MB 229.71 · BMW Longlife-12 FE · Ford WSS-M2C948-B · Volvo VCC RBS0-2AE · Opel OV 040 1547 · STJLR.51.5122 · MB 229.71 (ACEA C5)

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

---

4 L



PASSENGER VEHICLE ENGINE OILS

EFOR

FORMULA S ECS SPC6

Passenger Vehicle Engine Oil

0W-20 **5W-20**

Formulated with 100% high-quality synthetic base oils, this fully synthetic motor oil helps protect your engine even under demanding driving conditions, delivering superior lubrication at extreme temperatures while reducing wear and supporting engine cleanliness. Engineered for modern turbocharged engines, it helps guard against low-speed pre-ignition (LSPI) and timing chain wear, while its advanced...

SPECIFICATIONS

API SP, ACEA C5/C6

OEM APPROVALS & RECOMMENDATIONS

MB 229.71 / 229.61 · BMW Longlife-12 FE · Ford WSS-M2C-950A · Volvo VCC RBS0-2AE · Opel OV 040 1547

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

---

4 L



PASSENGER VEHICLE ENGINE OILS

EFOR

FORMULA S ECS SQ

Passenger Vehicle Engine Oil

5W-30 **5W-40**

Formulated with 100% high-quality synthetic base oils, this fully synthetic motor oil helps protect your engine even under demanding driving conditions, delivering superior lubrication at extreme temperatures while reducing wear and supporting engine cleanliness. Meeting the latest API SQ standard, it is engineered for modern turbocharged and hybrid powertrains, providing sustained protection against low-...

SPECIFICATIONS

API SQ

OEM APPROVALS & RECOMMENDATIONS

ILSAC GF-7A · GM dexos1 Gen 3 level · Ford WSS-M2C970-A1 · Chrysler/Stellantis MS-6395

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

---

4 L



COMMERCIAL / HEAVY-DUTY ENGINE OILS

EFOR

DURATECH

Commercial / Heavy-Duty Engine Oil

5W-30 **5W-40** **10W-30** **10W-40** **15W-40**

Formulated with 100% high-quality synthetic base oils, this fully synthetic heavy-duty diesel engine oil meets API CI-4 and ACEA E4/E7 performance levels, helping protect diesel engines even under the most demanding operating conditions. It offers excellent soot handling and deposit control to support engine cleanliness, provides strong protection against wear, delivers superior lubrication at extreme temperatures...

- High soot handling capability
- Strong wear protection under heavy load
- Supports piston and ring cleanliness

SPECIFICATIONS

API CI-4, ACEA E4/E7

OEM APPROVALS & RECOMMENDATIONS

MB 228.5 / 228.3 · MAN M3277 / M3377 · Volvo VDS-3 · Renault Trucks RXD / RLD-2 · Mack EO-N · Cummins CES 20076/77/78 · Deutz DQC IV-18 / III-18 · MTU Type 3 · DAF · Scania

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

4 L



COMMERCIAL / HEAVY-DUTY ENGINE OILS

EFOR

DURATECH LOW SAPS

Commercial / Heavy-Duty Engine Oil

5W-30 **5W-40** **10W-40**

Formulated with 100% high-quality synthetic base oils, this fully synthetic heavy-duty diesel engine oil meets API CI-4 and ACEA E4/E7 performance levels, helping protect diesel engines even under the most demanding operating conditions. It offers excellent soot handling and deposit control to support engine cleanliness, provides strong protection against wear, delivers superior lubrication at extreme temperatures...

SPECIFICATIONS

API CI-4, ACEA E4/E6/E7

OEM APPROVALS & RECOMMENDATIONS

MB 228.51 · MAN M3477 / M3271-1 · Volvo VDS-3 · Renault Trucks RLD-2 / RXD · Mack EO-N · Cummins CES 20076/77 · Deutz DQC III-10 LA / IV-18 LA · MTU Type 3.1 · JASO DH-2 · DAF · Caterpillar ECF-1a

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

---

4 L



COMMERCIAL / HEAVY-DUTY ENGINE OILS

EFOR

DURATECH S

Commercial / Heavy-Duty Engine Oil

5W-30 **10W-30** **10W-40** **15W-40**

Formulated with 100% high-quality synthetic base oils, this fully synthetic heavy-duty diesel engine oil meets API CK-4 performance level, helping protect modern diesel engines even under the most demanding operating conditions. It offers enhanced oxidation stability, excellent soot handling and deposit control to support engine cleanliness, provides strong protection against wear, and delivers superior lubrication...

- Compatible with modern emission control systems
- Excellent soot handling capability
- Strong protection against wear under heavy load

SPECIFICATIONS

API CK-4, FA-4, ACEA E7/E9, Volvo VDS 4.5, MB 228.31

OEM APPROVALS & RECOMMENDATIONS

MB 228.31 · MAN M3775 · Volvo VDS-4.5 · Mack EOS-4.5 · Renault Trucks RLD-3 · Cummins CES 20086 (CK-4) / CES 20087 (FA-4) · Caterpillar ECF-3 · Detroit Diesel DD 93K222 (CK-4) / 93K223 (FA-4) · Deutz DQC III-10 LA · Ford WSS-M2C171-F1 · JASO DH-2 · MTU Type 2.1 ·...

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

---

4 L



COMMERCIAL / HEAVY-DUTY ENGINE OILS

EFOR

DURATECH S E11

Commercial / Heavy-Duty Engine Oil

5W-30 **10W-40**

Formulated with 100% high-quality synthetic base oils, this fully synthetic heavy-duty diesel engine oil meets API CK-4 performance level, helping protect modern diesel engines even under the most demanding operating conditions. It offers enhanced oxidation stability, excellent soot handling and deposit control to support engine cleanliness, provides strong protection against wear, and delivers superior lubrication...

SPECIFICATIONS

API CK-4, FA-4, ACEA E7/E8/E11, Volvo VDS 4.5, MB 228.51

OEM APPROVALS & RECOMMENDATIONS

MB 228.51 / 228.61 · MAN M3677 / M3477 / M3575 · Volvo VDS-4.5 · Renault Trucks RLD-4 · Mack EO-Q / EOS-4.5 · Cummins CES 20086 / 20081 · Scania Low Ash (LDF-4) · DAF Extended Drain · Deutz DQC IV-18 LA · MTU Type 3.1 · JASO DH-2 · MB 228.31 · MAN M3775 · Volvo...

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

---

4 L



COMMERCIAL / HEAVY-DUTY ENGINE OILS

EFOR

FORMULA SUPER DIESEL

Commercial / Heavy-Duty Engine Oil

15W-40 **20W-50**

Formulated with 100% virgin base oils, this diesel engine oil helps protect diesel engines under demanding operating conditions. It controls soot and deposit formation to support engine cleanliness, helps reduce wear, and delivers stable lubrication at high temperatures. Suitable for heavy-duty commercial vehicles, agricultural and construction machinery.

- Outstanding resistance to wear and corrosion, sustains power and increases engine life
- It is designed as a four season oil, provides optimum lubrication in all climatic conditio...
- Provides good protection to older vehicles and show good performance in vehicles wi...

SPECIFICATIONS

API CF-4

OEM APPROVALS & RECOMMENDATIONS

MB 228.1 · MAN 271 · MTU Type 1 · Volvo VDS · ZF TE-ML 04A / 07D · ACEA E2

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

4 L



COMMERCIAL / HEAVY-DUTY ENGINE OILS

EFOR

TURBO DIESEL

Commercial / Heavy-Duty Engine Oil

15W-40 **20W-50**

Formulated with 100% virgin base oils, this diesel engine oil helps protect diesel engines under demanding operating conditions. It controls soot and deposit formation to support engine cleanliness, helps reduce wear, and delivers stable lubrication at high temperatures. Suitable for heavy-duty commercial vehicles, agricultural and construction machinery.

- Good performance in both turbo-charged and normally aspirated engines
- Outstanding resistance to wear and corrosion, sustains power and increases engine life
- Higher resistance to acid corrosion makes it compatible with high sulphur fuels

SPECIFICATIONS

API CH-4

OEM APPROVALS & RECOMMENDATIONS

MB 228.3 · MAN M3275-1 · Volvo VDS · Mack EO-M Plus · Cummins CES 20076 / 20077 · MTU Type 2 · Caterpillar ECF-1a · Deutz DQC II-18 · Allison C-4

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

---

4 L



COMMERCIAL / HEAVY-DUTY ENGINE OILS

EFOR

TURBO DIESEL ULTIMATE

Commercial / Heavy-Duty Engine Oil

5W-30 **10W-40** **15W-40** **20W-50**

A premium, multigrade heavy-duty diesel engine oil produced entirely from 100% virgin base oils for turbocharged and naturally aspirated diesel engines in trucks, buses, construction and agricultural equipment operating under severe, high-load conditions. Its high-quality base stocks and advanced additive system provide outstanding protection against wear, soot thickening, deposits and corrosion,...

- Provides superior protection against wear, corrosion, sludge, and deposits
- Keeps engine components clean and reduces soot-related issues
- Helps maintain engine power and efficiency

SPECIFICATIONS

API CI-4, (ACEA E5)

OEM APPROVALS & RECOMMENDATIONS

MB 228.3 · MAN M3275-1 · Volvo VDS-3 · Renault Trucks RLD-2 · Mack EO-N / EO-M Plus · Cummins CES 20076/77/78 · Caterpillar ECF-1a · Deutz DQC III-10 · MTU Type 2 · Allison C-4 · Global DHD-1 · JASO DH-1

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

---

4 L



COMMERCIAL / HEAVY-DUTY ENGINE OILS

EFOR

ULTRA HD

Commercial / Heavy-Duty Engine Oil

SAE 30 **SAE 40** **SAE 50** **SAE 60** **SAE 70**

Ultra HD Series engine oils are produced from highly refined base oils and performance additives for engines operating from moderate to severe conditions. They have a wide application range from automotive to older design equipment used in agriculture, mining and construction, also for stationary engines used in various applications. They provide good lubrication and protection to engine parts against...

- May be used for both diesel and gasoline engines
- Provides good protection against wear and corrosion to engine components
- Suitable for use in all vehicles operating under moderate to severe conditions

SPECIFICATIONS

API CF-SF

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

---

4 L



MOTORCYCLE OILS

EFOR

MOTO 2T

2-Stroke Motorcycle Oil

Moto 2T, Two-stroke engine oil is produced from highly refined paraffinic base oils and special additives for two-stroke gasoline engines where lubricant is mixed with fuel. Recommended for use in engines of various size used in scooters, motorbikes, lawn mowers, choppers, chain saws and in other similar engines. It provides maximum protection to engine parts against wear and corrosion, keeps cylinder head and...

- Additives of formulation control piston and cylinder wear also keep valves clean
- Optimum lubrication and engine cleanliness help to produce higher energy output
- Longer service life with smoother engine operation and reduction of engine noise

SPECIFICATIONS

JASO FD, API TC

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

4 L



MOTORCYCLE OILS

EFOR

MOTO M 4T

4-Stroke Motorcycle Oil

10W-40 **15W-40** **20W-40** **20W-50**

Formulated with 100% virgin base oils and advanced additive technology, this 4-stroke motorcycle engine oil is designed for systems where engine, gearbox and wet clutch operate together. Its wet clutch compatibility ensures smooth gear shifting and strong clutch grip, while forming a stable lubricating film even at high engine speeds, helping reduce wear and support engine cleanliness.

- Higher thermal and oxidation stability, controls sludge and deposit formation, keeps ...
- Effective lubrication and engine cleanliness result in maximum energy output and fuel...
- Superior viscometric and oil film stability help smoother operation and reduction of en...

SPECIFICATIONS

10W-40 JASO MA, API SL
15W-40 JASO MA, API SG
20W-40 JASO MA, API SG
20W-50 JASO MA, API SG

OEM APPROVALS & RECOMMENDATIONS

JASO MA2 (T903) — Wet Clutch 4 Stroke · API SL/SN · JASO MA — MB 229.1 · Renault RN0700 / RN0710

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

---

4 L



MOTORCYCLE OILS

EFOR

MOTO RACING 4T

4-Stroke Motorcycle Oil

15W-50

Formulated with 100% virgin base oils and advanced additive technology, this 4-stroke motorcycle engine oil is designed for systems where engine, gearbox and wet clutch operate together. Its wet clutch compatibility ensures smooth gear shifting and strong clutch grip, while forming a stable lubricating film even at high engine speeds, helping reduce wear and support engine cleanliness.

- Ultimate protection against wear help sustain engine power and increases engine life
- Enhanced cleanliness of engine parts assure optimum lubrication and performance
- Superior viscometric stability help smoother operation and reduction of engine noise

SPECIFICATIONS

API SM/CF, JASO MA2

OEM APPROVALS & RECOMMENDATIONS

JASO MA2 (T903) — High Performance 4 Stoke

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

---

4 L



MARINE ENGINE OILS

EFOR

MARINE SAE 40

Marine / Large Engine Oil

TBN 30 **TBN 40**

A high-performance SAE 40 monograde trunk piston engine oil (TPEO) engineered for medium-speed marine and stationary diesel engines operating on marine diesel oil (MDO), marine gas oil (MGO) and low-sulphur distillate fuels. Its TBN 30 reserve neutralizes combustion acids to control corrosion and deposits, while meeting ISO 8217 and MIL-L-9000 requirements for reliable lubrication, wear protection and engine...

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

---

4 L



MARINE ENGINE OILS

EFOR

OUTBOARD 4T

Outboard Engine Oil

10W-30

A premium oil formulated with 100% virgin base oils and specially developed for outboard marine engines operating in fresh and salt water. Meeting the NMMA FC-W performance level and compatible with catalyst-equipped engines, it delivers outstanding protection against wear, rust and corrosion, resists viscosity breakdown at high operating temperatures and ensures smooth cold-start lubrication for reliable...

SPECIFICATIONS

API SM, NMMA FC-W and FC-W Catalyst Compatible

OEM APPROVALS & RECOMMENDATIONS

NMMA FC-W — 4 Stroke Outboard Engine

PACKAGING

0.9 L · 1 L · 3.78 L · 4 L · 5 L · 7 L · 16 L · 18 L · 19 L · 20 L · 200 L · 205 L · 208 L · 1000 L

20 L



AUTOMATIC TRANSMISSION FLUIDS (ATF)

EFOR

DURAFLUID ATF

Automatic Transmission Fluid

200 | **CVT** | **DEXRON II** | **DEXRON III** | **DEXRON IIIG** | **DEXRON VI** | **MV LV**

Durafluid ATF DX-III is a superior quality automatic transmission fluid designed with synthetic base technology and performance additives for automatic transmission systems of automobiles, trucks and other transportation vehicles where GM Dexron-III is recommended. It provides ultimate protection to gears and rolling elements against wear, corrosion and rusting. Enhanced lubricity sustain higher power transmission,...

- Excellent viscometric properties and lubricity manage smooth gear shift in all seasons
- Superior protection against wear, rusting and corrosion of ferrous and non-ferrous pa...
- Higher thermal and oxidation stability prevent sludge and deposit formation and ext...

SPECIFICATIONS

200 GM Type A
CVT
DEXRON II GM Dexron II
DEXRON III GM Dexron III
DEXRON IIIG GM Dexron IIIG
DEXRON VI GM Dexron VI
MV LV GM Dexron VI, JASO 1A, 1A-LV, Mercon LV

---

20 L



MANUAL TRANSMISSION GEAR OILS

EFOR

DURAGEAR EP

Manual Transmission Gear Oil

75W-80 | **75W-90** | **80W-90** | **85W-140** | **90** | **140** | **80W**

Duragear EP 80W-90, high performance extreme pressure hypoid gear and axle oils produced for heavy duty automotive gear boxes of trucks, busses, light transport vehicles, SUV, cars and motorcycles with seperate gear units. In addition to selected conventional base oils they are enriched with high-tech additives that provide optimum protection against wear, rusting, corrosion and oxidation. Excellent...

- Ultimate protection of gears against wear, pitting and corrosionin heavy duty operati...
- Improved lubricity together with EP additives save energy and increase the service life
- Being multi-grade oils they exhibit good performance in a wide range of temperature

SPECIFICATIONS

75W-80 API GL-4
75W-90 API GL-4

---

20 L



MANUAL TRANSMISSION GEAR OILS

EFOR

DURAGEAR EP LS

Manual Transmission Gear Oil

80W-90 | **90**

Duragear EP LS oils are a friction modified EP hypoid gear and axle oil designed for use in limited slip differentials for use in heavy duty vehicles used on-road and off-road equipment used in construction, mining and forestry also autos and SUV's having limited slip differentials. It is produced from conventional selected base oils and special performance additives. It protects transmission system against wear, corrosio...

- Modifies the friction in limited slip differentials and minimizes the generated sound
- Extended lubricity togather with EP and friction modifying additives increase the servi...
- Provides protection to gears against wear, corrosion and manage efficient operation

SPECIFICATIONS

API GL-5, LS (Limited Slip)

---

20 L



MANUAL TRANSMISSION GEAR OILS

EFOR

DURAGEAR FULL SYNTHETIC

Manual Transmission Gear Oil

75W-80 | **75W-90** | **75W-140**

Duragear Full Syn. series are a long drain, fuel efficient, gear and axle oils formulated with fully synthetic base oils and high-tech additives to meet the challenging requirements of modern power transmission systems. It provides ultimate protection against wear and pitting, provides extra protection to gear operating in extreme temperatures. Compatible with synchromesh and hypoid gears of heavily loaded...

- Provides ultimate protection against wear, micro pitting, corrosion and premature fail...
- Higher thermal and oxidation stability control sludge and all kind of deposit formation
- Excellent seal materials compatibility minimize the chance of leakage to atmosphere

SPECIFICATIONS

75W-90 API GL-5
75W-140 API GL-5

20 L



MANUAL TRANSMISSION GEAR OILS

EFOR

DURAGEAR MT

Manual Transmission Gear Oil

90 | 140

SPECIFICATIONS
API GL-1

---

20 L



STOU / TRACTOR ENGINE & TRANSMISSION OILS

EFOR

STOU

Tractor Engine & Transmission Oil

10W-30 | 15W-40

STOU 15W-40 is a Super Tractor Oil Universal (STOU) developed for multi-purpose use in agricultural machinery. It is formulated with high-quality base oils and advanced additive technology. It is designed to provide reliable performance in engines, transmissions, hydraulic systems and oil-immersed brake applications. It supports equipment durability and operational efficiency under varying load and temperature...

- Suitable for multi-application use in engine, transmission and hydraulic systems
- Provides effective wear protection under heavy loads
- Helps control sludge and deposit formation

SPECIFICATIONS
STOU, API CG-4, ACEA E3

---

20 L



STOU / TRACTOR ENGINE & TRANSMISSION OILS

EFOR

STOU CD

Tractor Engine & Transmission Oil

10W

EFOR STOU CD 10W is a high-performance, multi-purpose lubricant developed for agricultural machinery. It is formulated with high-quality base oils and advanced additive technology to ensure reliable performance in engines, transmissions, hydraulic systems, and wet brake applications.It is suitable for use in both diesel and gasoline engines, including naturally aspirated and turbocharged engines. The product...

- Multi-functional use reduces the need for different lubricants
- Provides effective protection against wear, extending equipment life
- Ensures smooth operation in transmissions and hydraulic systems

SPECIFICATIONS
STOU, API CD/SF, Caterpillar Series 3, Allison C-3, MIL-L-2104C

---

20 L



TRACTOR TRANSMISSION OILS

EFOR

UTTO

Tractor Transmission Fluid

10W-30 | 20W-30

UTTO 10W-30 is a universal transmission oil produced for tractors and off-road work machines, to be used in power transmission systems, in wet brakes, final drives and other auxiliary systems of tractors,and off-road machines. It is a blend of high quality base oils and high performance, well balanced functional additives to meet the stringent specifications of leading tractor and work machine manufacturers. Provides...

- High-performance anti-wear additives effectively control wear and extend operation...
- Excellent thermal and oxidation stability enables sustained operation under high tem...
- Optimized friction characteristics for wet brakes minimize noise and prevent chatter, e...

SPECIFICATIONS
UTTO, API GL-4

20 L



TRACTOR TRANSMISSION OILS

EFOR

UTTO 50 TO-4

Tractor Transmission Fluid

SPECIFICATIONS

UTTO, API GL-4, Caterpillar TO-4

---

20 L



TRACTOR TRANSMISSION OILS

EFOR

UTTO SYNT

Tractor Transmission Fluid

5W-20

SPECIFICATIONS

UTTO, API GL-4

---

20 L



CONSTRUCTION MACHINERY TRANSMISSION OILS

EFOR

EFOR TRANS

Construction Machinery Transmission Oil

70W **80W**

EFOR TRANS 80W is fully synthetic, super performance, transmission oil designed for heavy duty power transmission systems and gear boxes. Improves the performance of automatic and manual gear shift and final drives to highest possible level. Show optimum performance in pressure hydraulic systems. It is specially designed heavy duty off-road machines used in quarrying, mining, forestry, agriculture and...

- Dissipates the heat generated by friction, controls sliding and increases life of clutch ...
- Superior thermal and oxidation stability ensure optimum operation under higher load ...
- Optimizes the friction in wet brake systems, reduces the noise and manages smoothe...

SPECIFICATIONS

Caterpillar TO-4, API GL-4

---

20 L



CONSTRUCTION MACHINERY TRANSMISSION OILS

EFOR

EFOR TRANS HD

Construction Machinery Transmission Oil

30 **50** **10W**

EFOR TRANS HD Series transmission oils are specially developed for heavy duty transmission systems and gear boxes of work machines. Increases the performance of automatic and manual transmission units and final drives to optimum level. Perform extremely good in high pressure hydraulic systems and provide superior protection. Designed for efficient operation of equipment used under extreme conditions in...

- Excellent transmission and lubrication performance, increases clutch life and saves en...
- Higher resistance to oxidation and wear control improves pump life and performance
- Optimized friction and viscosity characteristics reduces wet brake chatter and wear

SPECIFICATIONS

Caterpillar TO-4

20 L



HYDRAULIC OILS

EFOR

HYDRO HLP

Zinc-Containing Hydraulic Oil

22 32 37 46 68 100 150

HYDRO HLP series are single-grade high temperature anti-wear type premium hydraulic oils. They are designed very highquality base oils and zinc-containing modern high quality additive technologies to meet all major OEMs, including the latest most challenging Bosch Rexroth requirements

- Excellent service in modern mobile and static hydraulic systems
- Seperate easily and quickly from water, protects from rustingand corrosion
- Meets the requirements of modern heavy duty, high efficiency systems

SPECIFICATIONS
DIN 51524 - HLP

20 L



HYDRAULIC OILS

EFOR

HYDRO HLP ZF

Zinc-Free Hydraulic Oil

32 46 68

EFOR HYDRO HLP 46 ZF is a high-performance hydraulic oil developed for industrial hydraulic systems. It is formulated with high-quality base oils and advanced additive technology.Its zinc-free formulation supports system cleanliness while providing effective wear protection. It offers high oxidation stability and reliable performance under demanding operating conditions, contributing to extended...

- Zinc-free formulation for improved system cleanliness
- High oxidation stability
- Effective wear protection

SPECIFICATIONS
DIN 51524 - HLP

20 L



HYDRAULIC OILS

EFOR

HYDRO HVLP

High-VI Zinc-Containing Hydraulic Oil

32 46 68

SPECIFICATIONS
DIN 51524 - HVLP

20 L



HYDRAULIC OILS

EFOR

HYDRO HVLP ZF

High-VI Zinc-Free Hydraulic Oil

32 46 68

SPECIFICATIONS
DIN 51524 - HVLP

20 L



HYDRAULIC OILS

EFOR

SUPER HYDRO HVLP

High-VI Synthetic Zinc-Containing Hydraulic Oil

32 46 68

HYDRO SUPER HVLP, oils are synthetic technology hydraulic oils, formulated from selected synthetic base oils special additives to control wear, oxidation, corrosion and rusting of system components. Specially produced for for use in heavy duty static or mobile hydraulic equipments operating under severe and highly variable environmental temperatures. These oil increase system efficiency and help in energy...

- Excellent service in a variety of mobile and static hydraulic systems
- Meets the requirements of modern heavy duty, high efficiency systems
- Highly resistant to oxidation, less affected by temperature and have longer life

SPECIFICATIONS

DIN 51524 - HVLP

20 L



HYDRAULIC OILS

EFOR

SUPER HYDRO HVLP ZF

High-VI Synthetic Zinc-Free Hydraulic Oil

32 46 68

SPECIFICATIONS

DIN 51524 - HVLP

15 KG



LITHIUM GREASES

EFOR

LITHOMAX GREASE

Lithium Grease

NLGI 0 | NLGI 1 | NLGI 2 | NLGI 3

Lithomax Grease is a high quality multipurpose lithium soap based grease, contains oxidation inhibitors and rust preventives. Lithomax Grease is recommended for roller and plain bearings, bushing and pins operating under normal and heavy loads. May also be used as multipurpose grease in industrial applications.It has wide application temperature range may be used from -20°C to 120 °C.

- Sustains lubrication even under higher loads and temperature
- Good performance under shock loads and vibration
- Higher resistance against water washout and oxidation

PACKAGING

0.90 kg · 1 kg · 3.75 kg · 15 kg · 180 kg

15 KG



LITHIUM GREASES

EFOR

LITHOMAX GREASE EP

Lithium EP Grease

NLGI 0 | NLGI 1 | NLGI 2 | NLGI 3

Lithomax EP Grease is a high quality multipurpose lithium soap based grease containing EP additives. Lithomax EP Grease is recommended for roller and plain bearings, bushing and pins operating under normal and heavy loads. Effective protection against rust and corrosion thanks to its additive content. It has wide application temperature range may be used from -20°C to 120 °C.

- Sustains lubrication even under higher loads and temperature
- Good performance under shock loads and vibration
- Higher resistance against water washout and oxidation

PACKAGING

0.90 kg · 1 kg · 3.75 kg · 15 kg · 180 kg

15 KG



LITHIUM GREASES

EFOR

LITHOMAX RED GREASE

Lithium Grease (Red)

NLGI 2

PACKAGING

0.90 kg · 1 kg · 3.75 kg · 15 kg · 180 kg

15 KG



LITHIUM COMPLEX GREASES

EFOR

LITHOMAX CWB GREASE MP

Lithium Complex Grease

NLGI 2

OEM APPROVALS & RECOMMENDATIONS

NLGI GC-LB

PACKAGING

0.90 kg · 1 kg · 3.75 kg · 15 kg · 180 kg

15 KG



CALCIUM GREASES

EFOR

BLUEMAX GREASE

Calcium Grease (Blue)

NLGI 3

PACKAGING

0.90 kg · 1 kg · 3.75 kg · 15 kg · 180 kg

---

15 KG



CALCIUM GREASES

EFOR

CALIMAX GREASE

Calcium Grease (White)

NLGI 0 NLGI 3

CALIMAX is high quality calcium + lithium soap based multipurpose grease, produced for bearings, machine parts and general lubrication where operation temperature do not exceed 80 °C. NLGI No.2 grease may be applied by central lubrication system, grease cups or guns. Contains oxidation and rust inhibitors.

- Due to wide application range it reduces the stock cost
- Reduces downtimes of equipment and maintenance cost
- Good protection against rust, wear and corrosion

PACKAGING

0.90 kg · 1 kg · 3.75 kg · 15 kg · 180 kg

---

15 KG



CALCIUM GREASES

EFOR

GRAPHMAX GREASE

Calcium Graphite Grease

NLGI 2 NLGI 3

Graphmax Grease, a high quality calcium soap based multipurpose grease primarily intended for the lubrication of loaded plain and sliding bearings working in the temperature range of -10 to 60 °C. Can be applied by central lubrication systems, grease cups or guns. Contains oxidation inhibitor and rust preventives.

- Good resistance against water wash-out and oxidation
- Reduces downtimes of equipment and maintenance cost
- Good protection against rust and corrosion

PACKAGING

0.90 kg · 1 kg · 3.75 kg · 15 kg · 180 kg

---

15 KG



CALCIUM GREASES

EFOR

GREENAX GREASE

Calcium Rubber Grease (Green)

NLGI 000 NLGI 00 NLGI 0 NLGI 1 NLGI 2 NLGI 3

PACKAGING

0.90 kg · 1 kg · 3.75 kg · 15 kg · 180 kg

15 KG



CALCIUM GREASES

EFOR

ROLINAX GREASE

Calcium Grease (Red)

NLGI 000 | NLGI 00 | NLGI 0 | NLGI 1 | NLGI 2 | NLGI 3

Rolinax is a high quality calcium soap based grease with optimum performance in applications where temperature is moderate and do not exceed 60 °C. It is recommended for use in chassis applications of vehicles, roller and plain bearings and general applications. Can be applied by grease cups and guns.

- Protect against rust and corrosion even in the presence of water
- Suitable for chassis applications due to higher water resistance
- Extends part life in open and potential wet environments

PACKAGING

0.90 kg · 1 kg · 3.75 kg · 15 kg · 180 kg

---

15 KG



COTTON PICKER GREASES

EFOR

COTTONPICKER GREASE

Cotton Picker Grease

NLGI 000 | NLGI 00 | 000

PACKAGING

0.90 kg · 1 kg · 3.75 kg · 15 kg · 180 kg

---

15 KG



COTTON PICKER GREASES

EFOR

COTTONPICKER GREASE LC

Lithium-Calcium Cotton Picker Grease

NLGI 00 | 000

PACKAGING

0.90 kg · 1 kg · 3.75 kg · 15 kg · 180 kg

208 L



INDUSTRIAL GEAR OILS

EFOR

FORM GEAR

Industrial Gear Oil

68 | 100 | 150 | 220 | 320 | 460 | 680 | 1000

Form Gear Series are premium grade industrial gear oils with outstanding extreme pressure and load- carrying characteristics. Produced for use in various closed gear drives with circulation or splash lubrication systems. These oils are formulated from selected base oils and unique additive system which provides extremely high protection against wear, pitting, rusting and modify friction which reduces power...

- Outstanding anti-wear characteristics and higher load carrying capacity
- Effective friction modifiers make strong lubricant film increase performance and save ...
- Higher demulsification and water shedding protects gears against corrosion and rusti...

SPECIFICATIONS

DIN 51517-3 (CLP)

PACKAGING

20 L · 200 L · 205 L · 208 L · 1000 L

208 L



COMPRESSOR OILS

EFOR

COMPRESSOR OIL

Compressor Oil

32 | 46 | 68

SPECIFICATIONS

DIN 51506 (VDL)

PACKAGING

20 L · 200 L · 205 L · 208 L · 1000 L

208 L



COMPRESSOR OILS

EFOR

HYPERCOM

Synthetic Compressor Oil (Group III)

32 | 46 | 68

EFOR HYPERCOM series air compressor oils are produced from high quality synthetic base oils and advanced technology additives. Specially to meet lubrication requirements of screw, rotary, reciprocating and vane type compressors operating under severe conditions with higher outlet temperatures. Effectively control foaming and deposit formation, provide optimum lubrication by keeping valves and the siste...

- Provide excellent control against wear even under higher load and outlet temperatur...
- Due to lower evaporation rate lesser oil is carried over, separates from air very quickly
- Higher demulsification property sheds water easily and protects compressor against r...

SPECIFICATIONS

DIN 51506 (VDL)

PACKAGING

20 L · 200 L · 205 L · 208 L · 1000 L

208 L



COMPRESSOR OILS

EFOR

SUPERCOM

Compressor Oil

32 | 46 | 68 | 100 | 150

EFOR SUPERCOM series compressor oils are produced from highly refined HVI base oils and performance additives for use in rotary and reciprocating compressors that work under moderate operating conditions. Provide good protection against wear, rusting and corrosion, easily seperate from air and water, They have higher resistance against foaming and oxidation. Select viscosity as advised by equipment...

- Excellent thermal, oxidation and viscometric stability provides sustained lubrication
- Due to lower evaporation rate lesser oil is not carried over and separates from air quic...
- Higher demulsification and water shedding protects compressor against corrosion an...

SPECIFICATIONS

DIN 51506 (VDL)

PACKAGING

20 L · 200 L · 205 L · 208 L · 1000 L

208 L



HEAT TRANSFER OILS

EFOR

DURATHERM ST

Heat Transfer Oil

32 46

Duratherm ST, heat transfer oils are produced from highly refined base oils of intrinsic thermal and oxidation stability that is further boosted with highly effective inhibitors. They have a higher degree of heat transfer coefficient. Do not undergo thermal degradation, do not form sludge or deposits during use in the specified temperature range from -10 °C upto 320 °C. Can be used in all type of closed hot oil circulation...

- Outstanding thermal and oxidation stability, longer service periods
- Higher heat transfer coefficient of oil increases the system efficiency
- Superior dispersancy keeps the system clean and controls deposit formation

PACKAGING
20 L · 200 L · 205 L · 208 L · 1000 L

208 L



HEAT TRANSFER OILS

EFOR

DURATHERM SYNT

Synthetic Heat Transfer Oil (Group III)

9 32

PACKAGING
20 L · 200 L · 205 L · 208 L · 1000 L

208 L



SLIDEWAY OILS

EFOR

SLIDEWAY OIL

Slideway Oil

32 68 220

EFOR Machine Tool and Way Oils are designed to fully meet the critical lubrication requirements of modern high accuracy and high speed machines to meet the required finish specifications. They are formulated from highly refined base oils and well balanced additive system that provide the necessary friction characteristics and stick-slip properties. They provide excellent protection against wear, corrosion and...

- Superior film strength and adhesiveness, prevent oil drain from the surface
- Helps to maintain higher accuracy on modern high productivity machines
- Excellent protection against wear, corrosion and rust increase machine life

PACKAGING
20 L · 200 L · 205 L · 208 L · 1000 L

208 L



PROCESS OILS

EFOR

NOVA

Process Oil

7 10 30 60 100 110

PACKAGING
20 L · 200 L · 205 L · 208 L · 1000 L

208 L



METALWORKING FLUIDS

EFOR

BORON CUTTING FLUID

Boron-Based Cutting Fluid

PACKAGING
20 L · 200 L · 205 L · 208 L · 1000 L

---

208 L



METALWORKING FLUIDS

EFOR

COOLSOL BRO

Boron-Based Cutting Fluid

EFOR COOLSOL BRO is a multi-purpose, water-miscible metalworking fluid developed for use in machining processes. During machining, it provides effective cooling and adequate lubrication, reducing friction between the tool and the workpiece. Thanks to its formulation, it forms a protective film layer on metal surfaces, minimizing wear and surface damage. It also provides protection against corrosion,...

- It readily mixes with water to form a stable and long-lasting emulsion
- It provides high cooling and adequate lubrication performance during machining
- It helps extend tool life and improve surface finish

PACKAGING
20 L · 200 L · 205 L · 208 L · 1000 L

---

208 L



METALWORKING FLUIDS

EFOR

CUTTING OIL

General Purpose Neat Cutting Oil

22 32

PACKAGING
20 L · 200 L · 205 L · 208 L · 1000 L

---

208 L



MOULD RELEASE OILS

EFOR

MOULD RELEASE B

Concrete Mould Release Oil

18

PACKAGING
20 L · 200 L · 205 L · 208 L · 1000 L

208 L



MOULD RELEASE OILS

EFOR

MOULD RELEASE ST

Concrete Mould Release Oil

32

EFOR Mould Release Oil ST are produced from refined base oils and special additives to prevent sticking of concrete to moulds and framework. They produce smooth surface of moulded concrete and protect the framework against corrosion and rust. They can be used for both metallic and non-metallic moulds and frameworks. Oil may be applied by spraying or by brush in order to make a thin film o...

- Prevents sticking of concrete to mould or framework and produces smooth surface
- May be applied easily by spraying or manually by brush on wooden or metallic frame...
- Protects the metallic frameworks and moulds against corrosion even when not in use

PACKAGING
20 L · 200 L · 205 L · 208 L · 1000 L

208 L



QUENCHING OILS

EFOR

ARLIGHT

Quenching Oil

PACKAGING
20 L · 200 L · 205 L · 208 L · 1000 L

208 L



TEXTILE / CONING OILS

EFOR

TEXOIL

Coning / Blending Oil / Food-Grade Coning / Blending Oil / Spin Finish Oil

110 3100 3160

TEX OIL series oil are produced from highly refined base oils, emulsifiers, inhibitors and antistatic additives. From carding machines to spinning eases all stages of yarn manufacturing operations, reduces the waste quantity. Specially used in woolen and wool mix processing and protection of the needle bases of circular knitting machines. Additionally to increase the efficiency of flat knitting machines, Tex Oil 108 can be...

- Can be washed easily, there is no adverse effect on machine paint
- Being colorless by itself do not leave any color spot on the fabric
- Prevents the static charge build up and adhesion

PACKAGING
20 L · 200 L · 205 L · 208 L · 1000 L

208 L



TEXTILE / CONING OILS

EFOR

TEXOIL 2110 T

Texturizing Oil (Emulsifying)

PACKAGING
20 L · 200 L · 205 L · 208 L · 1000 L

208 L



TEXTILE / CONING OILS

EFOR

TEXOIL T

Texturizing Oil (Non-Emulsifying)

22 32

PACKAGING
20 L · 200 L · 205 L · 208 L · 1000 L

---

208 L



TEXTILE MACHINE OILS

EFOR

JETOIL

Light Machine / Sewing Machine Oil

Jet oils are formulated from highly refined base oils specially for high-speed spindle bearings in precision grinders and other machine tools requiring a low viscosity oil. It is recommended for plain and antifriction bearings of textile machines. It effectively minimizes wear under high-load conditions, including those caused by spindle wobble from imbalanced load. Additionally, they are used in sensitive equipments such as...

- Very good anti-wear protection assures trouble free sustained operation
- In addition to textile machines, have wide industrial application areas
- Excellent corrosion, rust and oxidation protection increase tool life

PACKAGING
20 L · 200 L · 205 L · 208 L · 1000 L

---

208 L



TEXTILE MACHINE OILS

EFOR

RING OIL

Ring Oil

22 32

PACKAGING
20 L · 200 L · 205 L · 208 L · 1000 L

---

208 L



GENERAL PURPOSE INDUSTRIAL OILS

EFOR

INDUSTRIAL

General Purpose Industrial Oil

40

PACKAGING
20 L · 200 L · 205 L · 208 L · 1000 L

208 L



INDUSTRIAL CLEANERS

EFOR

COTTONPICKER CLEANSOL

Cotton Picker Cleaner

PACKAGING

20 L · 200 L · 205 L · 208 L · 1000 L

ANTIFREEZE / COOLANTS

EFOR

ANTIFREEZE

Antifreeze / Coolant

EFOR Antifreeze, is mono ethylene glycolbased fluid produced for protection of waterbased cooling systems of motor vehicles against freezing in extremely cold weathers. Additionally the additive protects the cooling system against corrosion and rusting, controls the sludge formation, keeps the system clean and increases the efficiency. It is developed by environment friendly inorganic technology, do not contai...

- Provides effective protection to water-cooled systems against corrosion and rust
- Protects against freezing during winter and against boiling during extreme hot weather
- It is suitable for use in solar water heating systems and ice skating cooling systems

ANTIFREEZE / COOLANTS

EFOR

ANTIFREEZE ORGANIC

Organic Antifreeze / Coolant

EFOR Antifreeze NFR, is based on mono ethylene glycol, developed by Organic Acid Technology contains silicate and do not contain nitrate, phosphate and amine in its formulation. Silicates and other inhibitors protect the cooling system against corrosion and rust, keep it clean by inhibiting sludge formation and boost the performance. Environmental friendly antifreeze produced by hybrid organic and...

- Designed for use in all kind of cooling systems of modern vehicles
- Effectively protects aluminum alloys, copper, brass, iron and other metals against corr...
- Provides optimum protection even to cooling systems of older model vehicles

20 L



BRAKE FLUIDS

EFOR

BRAKE FLUID

Brake Fluid

DOT 3 DOT 4

EFOR DOT-5.1, Dot-4 and Dot-3 are heavy duty synthetic hydraulic brake fluids having excellent performance. They perform well even under extreme conditions where higher heat is generated by the friction of disc and braking shoes. Performance additives of the formulation protect hydraulic braking system against oxidation, corrosion rusting and wear, increase the service life. PERFORMANCE FMVSS No.116...

- Excellent fluidity performance even under extremely cold and warm conditions
- Optimum power transmission in hydraulic braking system ensures safe driving
- rovides superior protection to braking system against rusting, corrosion and wear

SPECIFICATIONS

DOT 3
DOT 4

AVAILABLE FORMATS

PACKAGING OPTIONS

Flexible packaging formats are available to support different distribution channels and application requirements. Packaging availability may vary by product and market.




1 L – 7 L PLASTIC BOTTLES & JERRYCANS



16 / 18 / 20 L JERRYCAN



208 L STEEL DRUM




16 L METAL TIN



15 KG GREASE PAIL

PRIVATE LABEL & CONTRACT FILLING EFOR service information to be confirmed.



EFOR
MADENİ YAĞLARI

THE NEXT STEP IS TO **CHANGE THE GAME.**

HEAD OFFICE & FACTORY

EFOR address and facility details to be provided.

CONTACT

Phone and email to be provided.

eformadeniyag.com.tr